

Digital colour multifunction printers



☑ Printer ☑ Copier ☑ Scanner ☑ Fax 100 . 200 A40



IM C2510

25 ppr

IM C4510(A)

IM C3010(A)

IM C5510A



IM C6010

Let's make your print infrastructure a gateway to your digital workspace

As workstyles evolve, digitalisation, agility and teamwork are essential for your organisation to remain competitive. Ricoh's Managed Print & Automation Services unlock the value of your print infrastructure with tailored, managed solutions which empower your people, improve efficiency, reduce cost, enhance security and drive sustainability. Our market-leading IM C Series is innovatively designed. Devices seamlessly integrate with cloud-based services and offer high-quality print, scanning and workflow automation.





Achieve your sustainability goals

With environmental impact at the top of the global agenda, a sustainable approach to organisational operations is essential. Whether reducing resource and energy consumption to save costs or demonstrating a responsible approach to procuring products and services, the right print infrastructure and partner can support your sustainability goals.

A carbon neutral future

At Ricoh, we are firmly committed to reducing our environmental impact and driving a sustainable approach. The IM C Series significantly reduces energy consumption, as well as paper consumption by digitising workflows through scanning; helping to reduce your carbon footprint and costs.

More energy savings

The IM C Series boasts industry-leading low Typical Energy Consumption (TEC) values and automatic eco-mode energy saving (0.3W) when in sleep mode. They use an innovative new toner that fuses at a lower temperature, resulting in the ideal intelligent device with sustainability at its core.

More recycled plastic

Designed for sustainability across its lifecycle, the IM C Series is made using 50% post-consumer recycled plastic while PET toner bottles are produced from 100% recycled plastic. Plastic packaging is reduced by 54% thanks to a more sustainable material and no excess packaging.

Secure and efficient

In an increasingly digital world, organisations must protect sensitive data while enabling flexible workstyles. Our printers are designed and manufactured with endto-end security protection and includes the latest security features – RICOH Always Current Technology and Multi-Factor Authentication. Secure cloud infrastructure ensures safe access – anywhere and any device.

Ongoing security

RICOH's Always Current Technology provides access to security upgrades and automatically downloads updates. New security tools include WPA3 authentication for wireless encryption and the latest hardware security module. You can also restrict networks by port name and protocol as well as IP address.

More security – Multi-Factor Authentication

Multi-Factor Authentication, including new card-based access to our printing devices, to minimise the risk of data breaches.

Improved admin management system

The IM C Series offers privileged admin account control with unlimited Multi-Function Printer administrator accounts and customisable permissions. This eliminates risks related to sharing IDs and can be linked to user ID systems including Microsoft Windows and LDAP platforms.







Enhanced productivity and seamless employee experience

Ricoh's intelligent devices enable the ultimate employee experience with features that save time and increase efficiency. The IM C Series automates workflows that accelerate processes and encourage collaboration. An optimised print infrastructure empowers employees to transition to digital ways of working easily and securely; improving their workplace experience.

Third-generation Smart Operation Panel

Our user-friendly IM C Smart Operation Panel has been upgraded for an even more intuitive and enjoyable experience. Brightness, touch sensitivity and position detection have been improved for optimal access to the device's many resources and functions.

Improved user experience

- Android OS 10 for better security and usability
- Faster CPU, high RAM memory and enhanced performance
- Enhanced accessibility to device, tiltable for better visibility & new capacitive touch sensor
- Fast wake up time from sleep mode

Efficiencies in paper handling

New peripherals ensure professional results with automated finishing possibilities. The single pass double-sided document feeder capably handles high volumes, special paper and card types. High-end options include a hybrid and booklet finisher for that extra touch.







Supporting your entire digital journey now and into the future

We understand the digital transformation that organisations are undertaking. We are here to set your organisation up for success and equip your people with the right tools to stay ahead. Our Managed Print & Automation Services can adapt to your changing needs, offering customisation, flexibility and reliability.

Scanning and automation

Scanning and automation just got easier and quicker. Scanning creates digitised documents that can automate processes like invoice and contract management. Uploading documents into your systems for archiving, knowledge sharing or as part of a workflow is now simpler with Ricoh's software.

Document management storage

Our scalable document management applications drive significant cost savings alongside process improvements. By taking print to the cloud, you can set location-aware printers and enable users to print anytime, anywhere.

Transitioning to the cloud

Our cloud software solutions are readily available and easy to integrate with your existing IT infrastructure, allowing you to enhance the capabilities of your print device. You can also securely connect mobile devices to carry out tasks from your phone or tablet.





The choice is yours

Simple to use with sophisticated and professional results, Ricoh's IM C Series is the perfect tool for your digital workspace. Our trusted quality and technical expertise are evident from every angle.

IM C2010/IM C2010A/IM C2510

- 20 to 25 ppm A3 all-in-one printer for all-round support
- Scan speed 150ipm (simplex)/300ipm(duplex) in SPDF
- Fast warm-up time of 24 seconds
- TEC value (kWh/week): 0.20 (20ppm)/0.25 (25ppm)
- B/W power consumption (operation): 411.8 W (20ppm)/449.2 W (25ppm), Sleep mode: 0.3 W

IM C3010/IM C3010A/IM C3510/IM C3510A


- 30 to 35 ppm A3 all-in-one printer for high productivity
- Scan speed 150ipm (simplex)/300ipm(duplex) in SPDF
- · Fast warm-up time of 24 seconds
- TEC value (kWh/week): 0.30 (30ppm)/0.35 (35ppm)
- B/W power consumption (operation): 464.4 W (30ppm)/500.5 W (35ppm), Sleep mode: 0.3 W

IM C4510/IM C4510A/IM C5510A/IM C6010

- Productive 45 to 60 ppm A3 all-in-one printer for top performance
- · Scan speed 150ipm (simplex)/300ipm(duplex) in SPDF
- Super fast warm-up time of 23 seconds
- TEC value (kWh/week): 0.45 (45ppm)/0.62 (55ppm)/0.67 (60ppm)
- B/W power consumption (operation): 576.6 W (45ppm)/726 W (55ppm)/763.3 W (60ppm), Sleep mode: 0.32 W



Hardware configuration



IM C2010(A) / IM C2510 / IM C3010(A) / IM C3510(A) / IM C4510(A) / IM C5510A / IM C6010

	IM C2010(A)	IM C2510	IM C3010(A)	IM C3510(A)	IM C4510(A)	IM C5510A	IM C6010	
GENERAL								
10/	04	04	04	04	00	00	00	
Warm-up time First copy speed: B/W	24 seconds 5.1 seconds	24 seconds 5.1 seconds	24 seconds 4.5 seconds	24 seconds 4.5 seconds	23 seconds 3.6 seconds	23 seconds 2.9 seconds	23 seconds 2.9 seconds	
First copy speed: full colour	7.4 seconds	7.4 seconds	6.9 seconds	6.9 seconds	5.4 seconds	4.2 seconds	4.2 seconds	
Continuous output speed	20 ppm	25 ppm	30 ppm	35 ppm	45 ppm	4.2 seconds 55 ppm	60 ppm	
Memory: standard	6 GB	6 GB	8 GB	8 GB	8 GB	8 GB	8 GB	
Memory: maximum	6 GB	6 GB	8 GB	8 GB	8 GB	8 GB	8 GB	
SSD: standard	0.05	0.05	0.05	256 GB	0.05	0.05	0.05	
SSD: optional				1 TB				
HDD: optional				320 GB				
	100 sheets	100 sheets	100 sheets	100 sheets	100 sheets			
ARDF capacity SPDF capacity	220 sheets	TOO STIEELS	220 sheets	220 sheets	220 sheets	- 220 sheets	- 220 sheets	
Weight ARDF model (kg)	89.7	89.7	92.9	92.9	94.4	-	-	
Weight SPDF model (kg)	96.1	-	99.3	99.3	100.8	100.8	100.8	
Dimensions ARDF model:				587 x 701 x 913 mm				
WxDxH								
Dimensions SPDF model:				587 x 701 x 963 mm				
WxDxH								
Power source	220 - 240 V, 50 - 60 Hz							
COPIER								
Multiple copying Resolution				Up to 999 copies 600 dpi				
Zoom			Fror	n 25% to 400% in 1% s	steps			
PRINTER								
First print speed: B/W	4.5 seconds	4.5 seconds	4 seconds	4 seconds	3.2 seconds	2.5 seconds	2.4 seconds	
First print speed: full colour	7 seconds	7 seconds	6.6 seconds	6.6 seconds	5.2 seconds	3.8 seconds	3.8 seconds	
CPU (IM C2010(A), IM C2510,				olloLake E3930 1.3 G				
IM C3010(A), IM C3510(A))								
Printer language: standard			PCL5c, PCL6, Post	Script 3 (emulation), PI	OF direct (emulation)			
Printer language: option		Genu	uine Adobe® PostScri	ot®3™, XPS, PictBridg	e, PDF Direct from Ad	lobe®		
Print resolution: maximum	Genuine Adobe® PostScript®3™, XPS, PictBridge, PDF Direct from Adobe® 4,800 x 1,200 dpi equivalent							
Network interface: standard		Ethernet 10 b	pase-T/100 base-TX/1	000 base-T, USB Host	I/F Type A. USB Dev	ice I/F Type B		
Network interface: option				802.11 a/b/g/n/ac), Add				
Mobile printing capability				lopria®, Ricoh Smart D				
Windows® environments	Windows® 8.1 Win	dows® 10 Windows		er 2012R2, Windows®		vs® Server 2019 Win	dows® Server 2022	
Mac OS environments	111100100 0.1, 1111							
UNIX environments	Macintosh OS X v10.15 or later UNIX Sun® Solaris, HP-UX, SCO OpenServer, RedHat® Linux Enterprise, IBM® AIX							
		UNIX Su						
SAP® environments	SAP® R/3@, SAP® S/4®							
Other supported environments	IBM iSeries							
SCANNER								
Scanning speed: ARDF (A4 LEF,	80 ipm (200/300 dpi)							
B/W full colour) Scanning speed: SPDF (A4 LEF,			150 ip	m (simplex)/300 ipm (d	uplex)			
200dpi, B/W full colour) Resolution: maximum				1,200 dpi				
File formats	Single Page TIFF, S	Single page JPEG, S	ingle page PDF, Singl	e page High compressi	on PDF, Single page	PDF/A, Multi page TIF	F, Multi page PDF,	
Scan modes	Single Page TIFF, Single page JPEG, Single page PDF, Single page High compression PDF, Single page PDF/A, Multi page TIFF, Multi page PDF, Multi page High compression PDF, Multi page PDF/A, Single page Encryption PDF, Multi page Encryption PDF, Single/multi OCR (optional) E-mail, Folder, USB							
FAX				, . 6.651, 000				
				DOT				
Circuit Transmission speed	PSTN, PBX G3: approximately 3 seconds (200 x 100 dpi, JBIG, ITUT #1 chart TTI off, memory transmission) G3: approximately 3 seconds (200 x 100 dpi, MMR, ITUT #1 chart TTI off, memory transmission)							
Modem speed: movimum		G3. approxima	acty 5 seconds (200 X	33.6 Kbps	i Giart i i Ull, memor	y uanomiosium)		
Modem speed: maximum			0		doi			
Resolution: standard	8x3.85 line/mm, 200x100 dpi							
Resolution: option			16>	15.4 line/mm, 400x400	uhi			
Compression method				MH, MR, MMR, JBIG				
Scanning speed (A4 LEF): ARDF				68 spm				
Scanning speed (A4 LEF): SPDF	90 spm							
Memory: standard	4 MB (320 pages)							
Memory: maximum	60 MB (4,800 pages)							

IM C2010(A) / IM C2510 / IM C3010(A) / IM C3510(A) / IM C4510(A) / IM C5510A / IM C6010

	IM C2010(A)	IM C2510	IM C3010(A)	IM C3510(A)	IM C4510(A)	IM C5510A	IM C6010	
PAPER HANDLING								K
Recommended paper size	Standard paper tray(s): SRA3, A3, A4, A5, A6, B4, B5, B6, Envelopes Optional paper tray(s): SRA3, A3, A4, A5, A6, B4, B5, B6, Envelopes Bypass tray: SRA3, A3, A4, A5, A6, B4, B5, B6, Envelopes, Custom Size paper							
Paper input: standard				1,200 sheets				0
aper input: maximum	2,300 sheets	2,300 sheets	4,850 sheets	Adobe: Pr				
aper output: standard				500 sheets				
Paper output: max. (IM C4510(A), IM C5510A, IM C6010)				3,625 sheets				
Paper weight : Trays	60 - 300 g/m ²	60 - 300 g/m ²	60 - 300 g/m ²	60 - 300 g/m ²	60 - 300 g/m ²	60 - 300 g/m ²	60 - 300 q/m ²	🚷 Bluetoo
aper weight : Bypass	52 - 300 g/m ²	52 - 300 g/m ²	52 - 300 g/m ²	52 - 300 g/m ²	52 - 300 g/m ²	52 - 300 g/m ²	52 - 300 g/m ²	
aper weight : Duplex	52 - 169 g/m ²	52 - 169 g/m²	52 - 256 g/m ²	52 - 256 g/m ²	52 - 256 g/m²	52 - 256 g/m²	52 - 256 g/m²	
aper types	Plain paper, Recycle paper, Special paper, Color paper, Letterhead, Cardstock, Preprinted paper, Bond paper, Coated paper, Envelope, Gloss paper, Label paper							R6
ECOLOGY								READ
ower consumption: max.	Less than 1,700 W	Less than 1,700 W	Less than 1,700 W	Less than 1,700 W	Less than 1,850 W	Less than 1,850 W	Less than 1,850 W	
ower consumption operation: &W	411.8 W	449.2 W	464.4 W	500.5 W	576.6 W	726 W	763.3 W	CERTIFIE
ower consumption operation: ull colour	456.3 W	494.5 W	515.3 W	543.6 W	664.9 W	827.1 W	871.2 W	
ower consumption: ready	37.7 W	37.7 W	38.5 W	38.5 W	40.5 W	40.6 W	40.1 W	
ower consumption: sleep	0.3 W	0.3 W	0.3 W	0.3 W	0.32 W	0.32 W	0.32 W	
EC* It is a reference value based on the ENERGY STAR Ver.3.2 test thethod.	0.2 kWh/week	0.25 kWh/week	0.3 kWh/week	0.35 kWb/week	0.45 kWh/week	0.62 kWh/week	0.67 kWh/week	က၀၇

Apple AirPrint

intel

PictBridg

INPUT/OUTPUT TRAYS AND FINISHER OPTIONS

1x 550-sheet paper tray, 2x 550-sheet paper tray, 2,000-sheet Large capacity tray, 1,650-sheet side Large capacity tray, 1,000-sheet Hybrid finisher, 3,000-sheet finisher, 1,000-sheet Booklet finisher, 3,000-sheet booklet finisher, 250-sheet Internal finisher, 500-sheet Internal finisher, Stapleless internal finisher, Internal multi-fold unit, Internal shift tray, One-bin tray, Output jogger unit

OTHER OPTIONS

Fax unit, G3 Interface, Fax connection unit, Fax memory unit, Cabinet, Caster table, Side Tray, Banner paper guide tray, Punch units, IPDS unit, Camera direct print card, PostScript 3, IEEE 802.11 a/b/g/n/ac, Device server unit, File format converter, OCR unit, Page keeper, Imageable area extension unit, ADF handle, External keyboard bracket, Counter I/F unit, NFC card reader, EFI controller, EFI Adobe Acrobat, EFI Color Profiler Suite, EFI Jobflow, EFI Fiery ColorRight, EFI Impose, EFI Compose, EFI Fiery Automation, EFI Hot folders, EFI JobExpert and PDF Processing Kit, Unicode Font Package for SAP, Card reader cover, SSD 1 TB option, Enhanced Security SSD, HDD Option, Bridge unit, XPS, SD card for fonts, Toner bottle lock, Stapleless unit, FAX stamp, Antimicrobial screen protector

CONSUMABLES

Toner (black)	30,000 prints	30,000 prints	40,000 prints	40,000 prints	42,000 prints	42,000 prints	42,000 prints
Toner (cyan/magenta/yellow)	18,000 prints	18,000 prints	28,000 prints				
Consumable yield based on 5%	2p∕j	2p∕j	3p∕j	3p∕j	4p∕j	4p∕j	4p∕j
coverage/A4							

For availability of models, options and software, please consult your local supplier.

Ricoh Europe (Netherlands) B.V.

"Nieuw Kronenburg" Prof. W.H. Keesomlaan 1 1183 DJ Amstelveen The Netherlands

RICOH imagine. change.



